
Physics : Section-A (Q. No. 1 to 25)

- The resement of inertia of a thin red about an axis passing through its mid point and perpendicular to the red is 2400 g cm. The length of the 400 g red is nearly
 - (1) 20.7 cm
- (2) 72:0 cm
- (3) R.5 cm
- (4) 17.5 cm
- A bob is whirled in a horizontal plane by means of a string with an initial speed of or cpm. The tension in the string is T. If speed becomes 2 of while keeping the same radius, the tension in the string becomes:
 - (1) T/4
- 128 F2T
- (3) T
- (4) 47
- 3 A thermodynamic system is taken through the cycle abede. The work done by the gas along the path be is:



- (1) -991
- (2) -60 1
- (3) zofo
- (4) 30 J

In the nuclear emission stated above, the mass number and atomic number of the product Q respectively, are:

- (1) 288, 82
- (3) 280, 81
- (2) 286, 81
- 5 An unpolarised light beam strikes a glass surface at Brewster's angle. Then
 - both the reflected and refracted light will be completely polarised.
 - (2) the reflected light will be completely polarised but the refracted light will be partially polarised.
 - (3) the reflected light will be partially polarised.
 - (4) the refracted light will be completely polarised.

- the is the velocity of light in free space, his is sintements about photon moong the tollow
- A. The energy of a photon is E-he
- 13. The velocity of a photon is e.
- C. The momentum of a photon, p = hr
- t). In a photon-electron collision, both his energy and total momentum are construe
- 1: Photon possesses positive charge


Choose the sorrect answer from the options gra-

- (1) A.C and D only
- (2) A. B. D and E only
- (3) A and B only
- (4) A. B. C and D only

Two bodies A and B of same mass under completely inelastic one dimensional collision. The body A moves with velocity v_1 while body a is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is

- (1) AST
- (2) 1:4
- (3) 12
- (4) 2:1

A tight ray enters through a right angled prior a point P with the angle of incidence 30° us show in figure. It travels through the prismoparable to its base BC and emerges along the face AC. The refractive index of the prism is:



- (1) \(\frac{\sqrt{3}}{4} \)
- U2) 1/3
- (3) $\frac{\sqrt{5}}{4}$
- (4) \(\sigma \)

T4_English

2

Contd.

10

11

9. If $x = 5 \sin \left(\pi x + \frac{\pi}{3} \right) m$ represents the motion of a

particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are

- (1) 5 cm. 1 =
- (3) 5 cm, 2) (3) 5 cm, 2
- 10 At any instant of time the displacement of any particle is given by 2t 1 (SI unit) under the influence of force of 5N. The value of instantaneous power is (In-SI unit):
 - (1) 7

ANTAL

Ved

Ven

gu

lic

- (3) 10
- 11 A rightly wound 100 purms coil of radius 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as 4x × 10⁻⁷ Slumis):
 - (1) A.tmT
- 2 44T
- (3) 44 mT
- A 44T
- 12 A particle moving with differen speed in a circular path maintains
 - (1) constant velocity hill varying acceleration.
 - (2) varying velocity and varying acceleration.
 - (3) constant velocity.
 - (4) constant acceleration.
- 13 A logic circuit provides the output I as per the following truth table 10



The expression for the mutput I'is


- (1) 8
- (2) B
- (3) AB = A
- B AB+1
- T4 English |

14 Consider the following statements A and B and identify the correct answer:

- A. For a solar cell the I-V characteristics lies in the IV quadrant of the given graph.
- B In a reverse bised pn junction diade, the current measured in (µ,s), is due to majority
- Both A and B tre correct
- (2) Both A and B are incorrect
 - (3) A is correct but B is incorrect
 - (4) A is incorrect but B is correct
- 15 in an ideal transformer, the turns ratio is $\frac{N_p}{N_s} = \frac{1}{2}$

The ratio V P requal to (the symbols carry their usual meaning)


- (D) 1:1
- m (2) (1:4
- (3) 1:2
- E (B) 2 1
- 16 A wheel of a builded cart is rolling on a level road as shown in the figure below if its linear speed is a in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)?



- (1) Both the points P and Q move with equal speed.
- (2) Point P has Zero speed
- (3) Point P moves slower than point Q.
- (4) Point P move faster than point Q.

[Contd.


- If the monochromatic source in Young's flouble alli experiment is replaced by white light, then
 - (1) there will be a central bright white fringe sarrounded by a few coloured fringer
 - (2) all bright fringes will be of equal width
 - (3) interference pattern will disappear.
 - there will be a central dark fringe surrounded by a few coloured fringes.



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solunoid-2, respectively, are through the directions

- (1) All and CD
- (2) But and DC
- (3) AH and DC
- (4) Bet and CD
- In a vernier calipora, (N+1) divisions of vernier scale coincide with N divisions of main scale. If I MSD represents 0.1 mm, the vernier constant (in cm) is t
 - (1) 100N

- The output (F) of the given logic gate is similar 20 to the output of ima



- (1) OR gate
- AND gate
- (3) NAND gate
- (4) NOR gate
- T4 English |

curen helow are two statements; one is law as Assertion A and the other is labor. Remon R.

Assertion A The potential (2) army main m 2 m distance(r) from the centre of the A horizo

hown

2 kg and

a frictio

don bli

(1) 6

CHIVED State

they

negni

State

and a

In in

most

belo

(1)

(2)

(3)

640

(I

27

26

(3)

of dipole moment vector # of mauring 4 = 10 °C m; 18 ± 9 = 10 7

This
$$\frac{1}{4\pi \epsilon_0} = 0 \epsilon 10^9$$
 SI units)

Reason R :
$$P = 1 \cdot \frac{2P}{4\pi \cdot \epsilon_0 r^2}$$
. Where $r \mid_{k=0}$

distance of any axial point, situated at 2 mile the centre of the dipole

in the light of the above statements, chooses correct answer from the options given below-

- (1) A la true but R is false
- (2) A is false but R is true.

(3)" Both A and R are true and R is the comexplanation of A.

- Both A and R are true and R is NOT a correct explanation of A.
- In a uniform magnetic field of 0:049 T, a mome needle performs 30 complete oscillations is 5 seconds as shown. The moment of inertia of the poolle is 9.8 × 10.5 kg m2 If the magnitude magnetic moment of the needle is a × 10-5 Am then the value of 'c' is:



- 1280 x
- 128 m
- 23 Match List-I with List-IL

List-1 (Material)

(Susceptibility (2) X= ()

List-II


- A. Diamagnetic B: Ferromagnetic
- 1-545-1
- Paramagnetic.
- IH X 55 1
- D. Non-magnetic
- DEX CE (A SMAIL positive number)

Choose the correct answer from the options give below:

- A-III, B-III, C-J, D-IV
 - (2) A-IV, B-III, C-II, D-I
 - (3) A-II, B-III, C-IV, D-I
 - (4) A-II, B-I, C-III, D-IV

[Contd-

A horizontal force 10 N is applied to a block d as shown in figure. The main of blocks A and Il are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is



Given below are two statements 25

-lied

3 11

oint.

pole

ide

the

mo

the

ect

he

tic in

he of


12

Statement 1: Atoms are electrically neutral us they contain equal number of positive and negative charges

Statement II: Atoms of each element are stable and emit their characteristic spectrum

In the light of the above statements, choose the most appropriate answer from the options given

- (1) Statement I is correct but Statement II is
- Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect
- The terminal voltage of the battery, whose emf is 26 10V and internal resistance 1Ω , when connected through an external resistance of 4Ω as shown in the figure is



- (1) 81
- 10.1 (2)
- (3) 41
- (4) 61
- A wire of length 'l' and resistance 100Ω is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is
 - 55 Q
- 60.2
- (3) 26.0
- (4) 52 D
- T4 English


- The maximum elongation of a steel wire of [m length if the clastic limit of steel and its Young's modulos, respectively, are 8 × 102 N m = unit 2 × 10¹¹ N m⁻², is
 - (1) 40 mm
- (2) 8 mm
- (3) 4 mm
- (4) 0.4 mm
- A thin flat circular disc of radius 4.5 cm is placed 29 gently over the surface of water. If surface tension of water in 0.07 Nm 1, then the excess force required to take it away from the surface is
 - (1) 1.98 mN
- (2) 99 N
- (3) 19.8 mN
- (4) 198 N
- Match List I with List II. 30

List II List I (Wavelengths (nm)) (Spectral Lines of Hydrogen for transitions from)

- A. $n_2 = 3 \cos n_1 = 2$
- B. n2=4 to n1=2 11.
- 656.3 C 117 = 5 10 11 = 2 III.
- D. 115=6 to 111 = 2

Choose the correct answer from the options given below

- (1) A-IV, B-BL, C-J, D-II
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-IV, C-II, D-I
- in the following circuit, the equivalent enpacitance 31 between terminal I and terminal B is



- (1) 0.5 µF
- Ant (2)
- (3) 2 HA
- 14) 198

Country

60 Fulding's volution 'A' in

- (1) alkatine solution of sodium potassium fartrate (Rochelle's salt)
- (7) agreeus vodium estrate
- (3) aquessus copyet tulphate
- (4) Alkaline copper sulphate
- March List Lwith I

List I		List II	
(Compound)	(Shape geometry)		
A NH,	1.	Trigonal Pyramidal	
B. Bet.	n.	Square Planar	
C XeF	701	Octahedral	
D. SF.	IV.	Square Pyramidal	

- (I) Adil, B-IV, C-I, D-II
- (2) A-JL B-JIL C.IV, D-I
- (3) A-L B-IV, C-II, D-III
- (4) A-II, B-IV, C-III, D-I
- 62 Given below are two statements

Statement I z Both Cu(NH₃) and Car

complexes are octahedral but differ in their magnetic behaviour

Statement II : Co(NH.) is diamagnetic

whereas Col is paramagnetic


In the light of the above statements, choose the coverer answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- Both Statement I and Statement II are true.
 - (4) Both Statement Land Statement II are false.
- 63 Among Group 16 elements, which one does NOT show -2 oxidation state?
 - (I) Te
- (2) Po
- (3) ()
- (4) Se

T4 English |

10

Which plot of in k vs. 1 in consistent 64 Arthenius equation?



Which

(1) 1

(2) B

Arrai

order

Choc beloy 125 (2) (3) (4)

Whi

(13)

(2)

(3)

(4)

(Mo

A.

B.

D.


T4 1

70

(3)

(4)

68



Arrange the following elements in increase order of electronegativity

N. O. E. C. Si

Choose the correct answer from the option

- (3) SISCENNOSE

Given below are two statements; 66

> Statement I: The boiling point of three isomerpentanes follows the order


n-pentane > isopentane > neopentane

Statement II : When branching increases in molecule attains a shape of sphere. This result in smaller surface area for contact, due to when the intermolecular forces between the sphereal molecules are weak, thereby lowering the boiling

In the light of the above statements, choose its most appropriate answer from the options goes

- (1) Statement I is correct but Statement list incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

| Contd-



ind state electron

fC6H14

it react

below

which

n the

d ...

ire

March List I with List II.

List I

List II

Quantum Number

1227

Information provided

- shape of orbital
- m.
- size of orbital
- III orientation of orbital
- D. 11
- IV. orientation of spin of electron

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-IL D-I
- (2) A-IL B-I, C-IV, D-III
- (3) A-I, B-III, C-II, D-IV
- (4) A-III, B-IV, C-I, D-II
- I gram of sodium hydroxide was treated with 83 25 mL of 0.75 M HCI solution, the mass of sodium hydroxide left unreacted is equal to
 - (1) Zero mg
- (2) 200 mg
- (3) 750 mg (4) 250 mg
- 84 In which of the following processes entropy increases?
 - A liquid evaporates to vapour.
 - B. Temperature of a crystalline solid lowered from 130 K to 0 K.
 - C. 2 NaHCO_{3(s)} \rightarrow Na₂CO_{3(s)} + CO_{2(g)} + H₂O_(g)
 - D. Cl2(g) -> 2 Cl(g)

Choose the correct answer from the options given below:

- (I) A. C and D
- (2) C and D
- (3) A and C
- (4) A. B and D
- Activation energy of any chemical reaction can be calculated if one knows the value of
 - (1) orientation of reactant molecules during collision.
 - (2) rate constant at two different temperatures.
 - (3) rate constant at standard temperature.
 - (4) probability of collision.

Chemistry: Section-B (Q. No. 86 to 100)

86 Major products A and B formed in the following reaction sequence, are

$$H_3C \xrightarrow{\text{OH}} \underbrace{PBr_3}_{\text{(major)}} \xrightarrow{A} \underbrace{A \xrightarrow{\text{alc KOH}}_{A}}_{\text{(major)}} \xrightarrow{B}$$

(1)
$$A = \bigcup_{A=0}^{H_3C} B_F : B = \bigcup_{A=0}^{H_3C} B_F$$

(2)
$$A = \begin{pmatrix} OH \\ Br \end{pmatrix} \begin{pmatrix} H_3C \\ B = \end{pmatrix}$$

$$(4) A = \begin{pmatrix} Br & H_1C \\ & B = \end{pmatrix}$$

87 The work done during reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere

(Given R = 2.0 cal K-1 mol-1)

- (1) 413.14 calories
- 100 calories
- (3) 0 calorie
- (4) -413.14 calories

88 Consider the following reaction in a sealed vessel at equilibrium with concentrations of

$$N_2 = 3.0 \times 10^{-3} \text{ M}, O_2 = 4.2 \times 10^{-3} \text{ M} \text{ and}$$

 $NO = 2.8 \times 10^{-3} \text{ M}.$

$$2NO_{(g)} \rightleftharpoons N_{2(g)} + O_{2(g)}$$

If 0.1 mol L-1 of NO(a) is taken in a closed vessel, what will be degree of dissociation (a) of NO(e) at equilibrium?

- (I) 0.8889
- 0.717
- (3/ 0.00889
- (4) 0.0889

T4 English |

| Contd...

13

- The most stable carbocation among the following | 56 53 is:
 - (1)

Tige.

alun

Sgiven

e of

tion

iven

- CHY
- On heating, some solid substances change from 54 solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as
 - (1) Distillation
 - (2) Chromatography
 - (3) Crystallization
 - (4) Sublimation
- Match List I with List II.

List I (Reaction)

List II (Reagents/ Condition)

- Anhyd.AlCl
- IL CrOs
- III. KMnO. KOH, A
- IV. (i) O3
- (ii) Zn-H₂O

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-I, B-IV, C-II, D-III
- (3) A-IV, B-I, C-III, D-II
- (4) A-III, B-I, C-II, D-IV
- T4 English |

- Intramolecular hydrogen bonding is present in
- 57 The highest number of helium atoms is in
 - (1) 4 g of helium
 - 2,271098 L of belium at STP
 - (3) 4 mol of helium
 - (4) 4 u of helium
- For the reaction $2A \Longrightarrow B + C + K_c = 4 \times 10^{-3}$, At a 58 given time, the composition of reaction mixture

is:
$$[A] = [B] = [C] = 2 \times 10^{-3} M$$

Then, which of the following is correct?

- (1) Reaction has a tendency to go in backward direction.
- (2) Reaction has gone to completion in forward direction.
- (3) Reaction is at equilibrium.
- (4) Reaction has a tendency to go in forward direction.
- The E° value for the Mn3+/Mn2+ couple is more 59 positive than that of Cr3+/Cr2+ or Fe3+/Fe2+ due to change of
 - (1) d4 to d5 configuration
 - (2) d3 to d5 configuration
 - (3) d5 to d4 configuration
 - (4) d5 to d2 configuration

- 74 In which of the following equilibria, K_p and K_c are NOT equal?
 - (1) $CO_{(g)} + H_2O_{(g)} \rightleftharpoons CO_{2(g)} + H_{2(g)}$
 - (2) $2 \operatorname{BrCl}_{(g)} \rightleftharpoons \operatorname{Br}_{2(g)} + \operatorname{Cl}_{2(g)}$
 - (3) $PCl_{5(g)} \rightleftharpoons PCl_{3(g)} + Cl_{2(g)}$
 - (4) $H_{2(g)} + I_{2(g)} \rightleftharpoons 2 HI_{(g)}$
- 75 The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10⁻⁵ and 35 kbar, respectively. The solubility of these gases in water follow the order:
 - (1) A>C>B
- (2) A>B>C
- (3) B>A>C
- (4) B>C>A
- 76 Identify the correct reagents that would bring about the following transformation.

$$\bigcirc - \text{CH}_2 - \text{CH} = \text{CH}_2 \rightarrow$$

$$\bigcirc - \text{CH}_2 - \text{CH}_2 - \text{CHO}$$

- (1) (i) BH₃
 - (ii) H₂O₂/OH
 - (iii) alk. KMnO₄
 - (iv) H₃O[⊕]
- (2) (i) H₂O/H⁺
 - (ii) PCC
- (3) (i) H₂O/H⁴
 - (ii) CrO₃
- (4) (i) BH₃
 - (ii) H₂O₂/OH
 - (iii) PCC
- 77 The compound that will undergo S_N¹ reaction with the fastest rate is

- The energy of an electron in the ground size (n = 1) for He⁺ ion is -x J, then that for an electron in n = 2 state for Be³⁺ ion in J is:
 - (1) -4x
- $(2) -\frac{4}{9}$

82

83

- (3) -x
- $(4) -\frac{x}{9}$
- 79 A compound with a molecular formula of C₆H₁₁ has two tertiary carbons. Its IUPAC name is:
 - (1) 2.3-dimethylbutane
 - (2) 2,2-dimethylbutane
 - (3) n-hexane
 - (4) 2-methylpentane
- 80 The reagents with which glucose does not read to give the corresponding tests/products are
 - A. Tollen's reagent
 - B. Schiff's reagent
 - C. HCN
 - D. NH2OH
 - E. NaHSO;

Choose the correct options from the given below.

- (1) B and E
- (2) E and D
- (3) B and C
- (4) A and D
- 81 'Spin only' magnetic moment is same for which of the following ions?
 - A. Ti3+
- B. Cr2+
- C. Mn2+
- D. Fe2+
- E. Sc3+

Choose the most appropriate answer from the options given below:

- (1) B and C only
- (2) A and D only
- (3) B and D only
- (4) A and E only

T4 English]

12

tries 1 1 /



etie

vith

ual

gth m. mg

ng nt

to

er

to

- force developed in it is
- (1) 100 × 10° N (3) 5 - 10 N (4) 30 = 10 N

A metallic bar of Young's modulus,

0.5 - 1011 N m 2 and coefficient of linear thermal


expansion 10 5 oc 1, length 1 m and area of


cross-section 10" m2 is licited from 0% to 100%. without expansion or bending. The compressive


- Two heaters A and B have power rating of 1 kW 41 and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outpurs for these
 - two cases in: 108 112
- (4) 2:9
- An iron bar of length L has magnetic moment M. It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is:
 - (1) 2 M
- (3) M
- The velocity (v) time (t) plot of the motion of a hody is shown below:



The acceleration (a) – time (t) graph that best suits this motion is:








T4 English |


44 A 10 pt superitor is connected us a 216 V, 50 HK. source as shown in figure. The peak surrunt in the occust is nearly (= 3.74)




- (1) 1,20 A
- (2) 535 A
- (3) 0,58 /1
- A force defined by $F = \alpha x^2 + \beta x$ acts on a particle at a given time I. The factor which is dimensionless, if a and B are constants, is:
 - (T) apr

- Choose the correct circuit which can achieve the 46 bridge balance.








If the mass of the bob in a simple pendulum is increased to thrice its original mass and its length is made half its original length, then the new time


period of oscillation is $\frac{x}{2}$ times its original time period. Then the value of x is:


- 32 The mass of a planet is $\frac{1}{10}$ that of the earth and its diameter is half that of the earth. The acceleration due to gravity on that planet is:

 - (1) 4.9 m s⁻² (2) 3.92 m s⁻²

 - (3) 19.6 m s⁻² (4) 9.8 m s⁻²
- The graph which shows the variation of $\left(\frac{1}{12}\right)$ 33 and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle):








- The quantities which have the same dimensions 34 as those of solid angle are;
 - (1) strain and are
 - (2) angular speed and stress
 - (37) strain and angle
 - (4) stress and angle
- A thin spherical shell is charged by some source. 35 The potential difference between the two points C and P (in V) shown In the figure is:


(Take
$$\frac{1}{4\pi \epsilon_0} = 9 \times 10^9$$
 Si units)



- (1) 0.5×10^5 (3) 3×10^5

- 1 × 105

- Physics : Section-B (Q. No. 36 to 50)
- The following graph represents the T-V curve an ideal gas (where T is the temperature as the volume) at three pressures P_1 , P_2 and compared with those of Charles's law representations. as dotted lines.



Then the correct relation is:

- (1) $P_2 > P_1 > P_3$ (2) $P_1 > P_2 > P_3$ (3) $P_3 > P_2 > P_3$ (4) $P_1 > P_3 > P_2$
- The property which is not of an electromagne wave travelling in free space is that:
 - they travel with a speed equal to June
 - (2) they originate from charges moving w uniform speed.
 - (3) they are transverse in nature.
 - (4) the energy density in electric field is ear to energy density in magnetic field.
- A small telescope has an objective of focal leng 38 140 cm and an eye piece of focal length 5.0 cm The magnifying power of telescope for viewi a distant object is:

- A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the curre in the circuit, then in the gap between the plate
 - (1) displacement current of magnitude equal I flows in a direction opposite to that of I.
 - (2) displacement current of magnitude greate than I flows but can be in any direction.
 - (8) there is no current.
 - (4) displacement current of magnitude equal t I flows in the same direction as I.

Which reaction is NOT a redox reaction?

(1) H₂+Cl₂→ 2 HCl

Hent with

reasing

15 given

meric

s, the

sults

vhich

rical

iling

the

iven

1 15

lis

IFF

(2) BaCl₂ + Na₂SO₄ S BaSO₄ + 2 NaCl

(3) Zn + CuSO₄ → ZuSO₄ + Cu

(4) 2 KClO₃ + I₂ → 2 KlO₃ + Cl₂

Arrange the following elements in increasing 68 order of first ionization enthalpy: Li, Be, B, C, N (6)

Choose the correct answer from the options given below:

HT Li < Be < C < B = N

(2) Li < Be < N < B + Q

(3) Li < Be < B < C < N

(4) Li < B < Be < C < N

Which one of the following alcohols reacts instantaneously with Lucas reagent?

> (1) CH₃ - CH - CH₅OH CH.

CH, -CH, -CH, TCH, OH

(4) CH₃ - CH₂ - CH - OH

Match List I with List II. 70

List 1 (Molecule)

C List II (Number and types of bond/s between two

carbon atoms)

A. ethane

L Cone o-bond and Olwo π-bonds

II. Otwo π-bonds ethene MI. one o-bond carbon

molecule, C2

IV. one g-bond and D. ethyne Pone π-bond

Choose the correct answer from the options given below:

(1) A-III, B-IV, C-II, D-

(2) A-III, B-IV, C-I, D-II

(3) A-I, B-IV, C-II, D-III

(4) A-IV, B-III, C-II, D-I

Given below are two statements:

Statement I: The boiling point of hydrides of Group 16 elements follow the order

H2O > H3Te > H38e > H3S

Statement II : Of the basis of molecular mass, H₂O is expected 66 have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H₂O, it has higher boiling paint

In the light of the above statements, choose the correct answer from the options given below:

(1) Statement I is true but Statement II is false.

Statement KiB false but Statement II is true.

(3) Both Statement I and Statement II are true.

(4) Both Statement I and Statement II are false.

Given below are two statements: 72

> Statement 1: Anifine does not undergo Friedel-Crafts alkylation reaction.

Statement II: Aniline cannot be prepared through Gabriel synthesis.

In the light of the above statements, choose the correct answer from the options given below:

(1) Statement I's correct but Statement II is false

(2) Statement I'ls incorrect but Statement II is true.

(2) Both Statement I and Statement II are true.

(4) Both Statement I and Statement II are false.

Match List I with List II. 73

> List II List I (Number of (Conversion) (0) Faraday required)

3F A. 1 mol of H2O 10102

24 B. I mol of MnO to

Mn2+

HL IF C. 1.5 mol of Ca from molten CaCl

D. 1 mal of FeO to Fe,O1 IV. Choose the correct answer from the options given below:

(1) A-II, B-III, C-1, D-IV

(2) A-III, B-IV, C-II, D-I

(3) A-II, B-IV, Q-), D-III

(4) A-III, B-IV, Q-I, D-II

11



- The pair of lauthanoid fons which are diamagnetic
 - (1) Gd3+ and Eul+
 - (2) Pm3* and Sm3*
 - (3) Ce4+ and Yb2+0
 - (4) Ce3+ and Eu2+
- 91 Identify the major product C formed in the following reaction sequence:

$$CH_3 - CH_2 - CH_2 - \stackrel{\text{LD NaCN.}}{\longrightarrow} A$$

- (1) butanamide
- (2) a bromobutandic acid
- (3) propylamine (N
- (4) butylamine
- The products A and B obtained in the following reactions, respectively, are

- (1) H.PO and POCh
- (2) HaPOa and POGIa
- (3) POCI, and H, PO,
- (4) POCI, and HaPO,

T4 English |

- Given below are certain cations, Using in. 93 qualitative analysis, arrange then in man group number from 0 to VI
 - A13+ Cur D. Co21
 - C Bu2n 100 E. MpJ gring
 - Choose the correctanswer from the options.
 - (I) E, C, D, B, A
 - (2) E.A.B.C.D
 - (3) B. A. D. C.
 - (4) B. C. A. DLD
- A compound X contains 32% of A, 20% of B. 9.4 remaining percentage of C. Then, the empire formula of X is so

(Given atomic mayses of A = 64; B = 40; C= p.

- (1) AB₂C₂
- (2) ABC₄

98

99

100

- (3) A₂BC₂
- (4) ABC3
- The rate of a feaction quadruples who 95 temperature changes from 27°C to 57% Calculate the energy of activation_

Given R = 8,3147 K-1 mol 1, log 4 = 0.6021

- (1) 3.80 kJ/mot
- (2) 3804 kJ/mor
- 38.04 kJ/mot
- 380.4 kJ/mol
- 96 The plot of osmotie pressure (11) vs concentration (mol L-1) for a solution gives a straight line with slope 25,73 L bar thol 1. The temperature at which the osmotic pressure measurement is done is:

(Use R = 0.083 C bar mol 1 K 1)

- (I) 25.73°C W
- (2) 12.05%
- (3) 37°C
- (4) 310°C
- 97 During the preparation of Mohr's salt solution (Ferrous ammanjum sulphate), which of the following acid hadded to prevent hydrolysis of Feet ion?
 - (1): dilute nitrioncid
 - (2) dilute sulphblic acid
 - dilute hydrachloric acid
 - (4) concentrate alphuric acid

| Contd...

Given below are two statements:

Statement 1 : Chromosomes become gradually visible under light microscope during leptotene

Statement II: The begining of diplotene stage is recognized by dissolution of synaptonemal

In the light of the above statements, choose the correct answer from the options given below:

(1) Statement Pistrue but Statement II is false

Statement I'm false but Statement II is true Both Statement I and Statement II are true

Both Statement I and Statement II are false

- Formation of interfascicular cambium from fully developed parenchyma cells is an example for
 - (1) Dedifferentiation
 - (2) Maturation
 - (3) Differentiation
 - (4) Redifferentiation
- 129 Given below are two statements:

Statement I: Parenchyma is living but collenchyma is dead tissue.

Statement II: Gyranosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false
- Identify the set of correct statements:

The flowers of Vallisneria are colourful and produce nectar.

The flowers of waterlily are not pollinated B. by water.

C. In most of water-pollinated species, the pollen grains are protected from wetting.

D. Pollen grains of some hydrophytes are long and ribbon like.

In some hydrophytes, the pollen grains are carried passively inside water.

Choose the correct answer from the options given

below: (I) A. C. D and E only

- (2) B, C, D and F only
- (3) C, D and E only
- (4) A. B. C and D only

T4 English

- 131 Which of the following is an example of actinomorphic flower?
 - (1) Pisum
- (2) Sesbania

(3) Datura

- (4) Cassia
- The capacity to generate a whole plant from any cell of the plant is called:

Differentiation

- (2) Somatic hybridization
- (3) Totipotency
- (4) Micropropagation
- 133 Given below are two statements:

Statement I: Bt toxins are insect group specific and coded by a gene cry IAc.

Statement 11: Bt toxin exists as inactive protoxin in B. thuringiensis. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- Statement I is false but Statement II is true
- Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false
- List of endangered species was released by-
 - (I) FOAM

WE IUCH

- The cofactor of the enzyme carboxypeptidase is: 135
 - (1) Flavin
- (2) Haem
- (3) Zinc
- AT Niacin

[Contd...

- 120 How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?
 - (1) 3 molecules of ATP and 3 molecules of NADPH
 - (2) 3 molecules of ATP and 2 molecules of NADPH
 - (3) 2 molecules of ATP and 3 molecules of NADPH
 - (4) 2 molecules of ATP and 2 molecules of NADPH
- In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will you cross it?
- L CD Bh
- (2) BB/Bb
- (3) BB
- (4) bb
- 122 Lecithin, a small molecular weight organic compound found in living tissues, is an example of:
 - (1) Glycerides
 - (2) Carbohydrates
 - 481 Amino acids
 - (4) Phospholipids
- 123 Match List I with List II

List I

List II

- A. Rhizopus
- . Mushroom
- B. Ustilago
- II. Smut fungus
- C. Puccinia
- III. Bread mould
- D. Agaricus
- IV. Rust fungus

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-IV, B-III, C-II, D-I
 - (3) A-III, B-II, C-IV, D-I
 - (4) A-I, B-III, C-II, D-IV
- T4_English |

- 124 Tropical regions show greatest level of richness because
 - A Tropical latitudes have remained relative undisturbed for millions of years, her more time was available for specification.
 - B. Tropical environments are more seasonal
 - More solar energy is available in tropics
 - D. Constant environments promote niche specialization.
 - F. Tropical environments are constant and predictable.

Choose the correct answer from the options given below:

- A, B and E only
 - (2) A. B and D only
- (3) A. C. D and E only
- (4) A and B only
- 125 Match List I with List II

List I

List II

- A. Nucleolus
- Site of formation of glycolipid

127

12


- B. Centriole
- Organization like the cartwheel
- C. Leucoplasts III. Site for active
 - ribosomal RNA synthesis
- D. Golgi
- IV. For storing
- apparatus nutrients

Choose the correct answer from the options given below:

- A-III, B-ĮV, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- (8) A-III, B-II, C-IV, D-I
- (4) A-II, B-III, C-I, D-IV
- 126 The lactose present in the growth medium of bacteria is transported to the cell by the action of:
 - (1) Permease
 - (2) Polymerase
 - (3) Beta-galactosidase
 - (4) Acetylase

18

| Contd...



- 105 Inhibition of Succinic dehydrogenase enzyme by malomate is a classical example of:
 - Competitive inhibition
 - (2) Enzyme activation
 - (3) Cofactor inhibition
 - (4) Feedback inhibition
- A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype's is are expected in the progeny?
 - (1) Only pink flowered plants
 - (2) Red. Pink as well as white flowered plants
 - (3) Only red flowered plants
 - (41" Red flowered as well as pink flowered plants
- 107 The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;
 - (1) Semi-conservative method
 - (2) Sustainable development
 - GY in-situ conservation
 - (4) Biodiversity conservation
- 108 These are regarded as major causes of biodiversity loss:
 - A Over exploitation
 - Be Co-extinction
 - C. Mutation
 - D. Habitat loss and fragmentation
 - E. Migration

Choose the correct option:

- (1) A. B and E only -
- (2) A. B and D only
 - (3) A, C and D only
 - (4) A. B. C and D only
- T4_English |

- Which of the following are required for a reaction of photosynthesis?
 - A. Light
 - B. Chlorophyll
 - C CO2
 - D: ATP
 - E NADPH

Choose the correct answer from the option below.

- (1) C. D and E only
- (2) D and E only
- (3) A, B and C only
- (4V B, C and D only
- 110 Bulliform cells are responsible for
 - (1) Increased photosynthesis in monocon-
 - (2) Providing large spaces for storage of the
 - 15) Inward curling of leaves in monocon
 - (4) Protecting the plant from salt stress.
- of early a corolla and androecium with reservine overy from the given figures (a) and (b)



- (3) (a) Perigynous; (b) Epigynous
- (2) (a) Perigynous; (b) Perigynous
- (3) (a) Epigynous; (b) Hypogynous
- (4) (a) Hypogynous; (b) Epigynous
- Which one of the following is not a criterian in classification of fungi?
 - (1) Mode of spore formation
 - (2) Fruiting body
 - (187 Morphology of mycelium
 - (4) Mode of nutrition

622

Mass in grams of copper deposited by passing 9,6487 A current through a volumeter containing copper sulphate solution for 100 seconds is:

(Given : Molar mass of Cu : 63 g mol-1, IF = 96487 C)

(1) 31.5 g

as give

Band

pirical

324)

when

21

noite

vith

rich

on

he of

- (25 0.0315 g
- (3) 3.15 g
- Identify the correct answer.
 - (1) Dipole moment of NF₃ is greater than that of NH₃.
 - (2) Three canonical forms can be drawn for CO2- ion.
 - (3) Three resonance structures can be drawn for
 - (4) BF3 has non-zero dipole moment.
- Given below are two statements:

Statement 1 : \[\Co(\text{NH}_3)_6 \]^{3+} is a homoleptic complex whereas $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{4}\operatorname{Cl}_{2}\right]^{4}$ is a heteroleptic complex.


Statement H: Complex Co(NH3)6 has only one kind of ligands but Co(NH3)4Cl2 has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I is true but Statement II is false.
- Statement I is false but Statement II is true.
- Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Botany: Section-A (Q. No. 101 to 135)

In the given figure, which component has thin outer walls and highly thickened inner walls?




- (1) A
- (3) C
- (AY D
- 102 A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;
 - (1) Inducer, Repressor, Structural gene
 - (2) Promotor, Structural gene, Terminator
 - (3) Repressor, Operator gene, Structural gene
 - (4) Structural gene, Transposons, Operator gene
- The equation of Verhulst-Pearl logistic growth is

$$\frac{dN}{dt} = xN \left[\frac{K - N}{K} \right].$$

From this equation, K indicates:

- (1) Carrying capacity
- (2) Population density
- (3) Intrinsic rate of natural increase
- (4) Biotic potential
- 104 Identify the part of the seed from the given figure which is destined to form root when the seed germinates.



- (3) A

Botany: Section-B (Q. No. 136 to 150)

136 Match List I with List II

List I

List II

- A. Citric acid cycle
- 1. Cytoplasm
- B. Glycolysis
- II. Mitochondrial matrix
- C. Electron transport system
- III. Intermembrane space of mitochondria
- D. Proton gradient
- IV. Inner mitochondrial membrane

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-II, D-I
- (3) A-I, B-II, C-III, D-IV
- 1 (4) A-II, B-I, C-IV, D-III
- 137 Which of the following statement is correct regarding the process of replication in E.coli?
 - (1) The DNA dependent DNA polymerase catalyses polymerization in 5' → 3' as well as 3' → 5' direction.
 - (2) The DNA dependent DNA polymerase catalyses polymerization in 5'→3' direction.
 - (3) The DNA dependent DNA polymerase catalyses polymerization in one direction that is 3"→5".
 - (4) The DNA dependent RNA polymerase catalyses polymerization in one direction, that is 5° → 3°.

138 Match List I with List II

List I

List II

- A. Robert May
- Species-Area relationship
- B. Alexander von Humboldt
- II. Long term ecosystem experiment using out door plots
- C. Paul Ehrlich
- III. Global species diversity at about 7 million
- D. David Tilman
- IV. Rivet popper hypothesis

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- A-III. B-IV. C-II, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-I, C-IV, D-II

139 Identify the correct description about the given figure:



- (1) Cleistogamous flowers showing autogamy,
- (2) Compact inflorescence showing complete autogamy.
- (3) Wind pollinated plant inflorescence showing flowers with well exposed stamens.
- (4) Water pollinated flowers showing stamens with mucilaginous covering.
- 140 Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate.
 - (1) Succinyl-CoA → Succinic acid
 - (2) Isocitrate → α-ketoglutaric acid
 - (3) Malie acid → Oxaloacetic acid
 - (4) Succinic acid -> Malic acid

141 Given below are two statements:

Statement I: In C₃ plants, some O₂ binds to RuBisCO, hence CO₂ fixation is decreased.

Statement II: In C₄ plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (8) Both Statement I and Statement II are true
 - (4) Both Statement I and Statement II are false

T4 English |

20

Contd...

142

143

144

the given

logamy.

mplete

howing

tamens

which

In an ecosystem if the Net Primary Productivity
(NPP) of first trophic level is

100x (keal m⁻²) yr⁻¹, what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

(1) 10x (kcal m⁻²) yr-1

(2) $\frac{100x}{3x}$ (kcal m^{-2}) yr^{-1}

- (3) $\frac{x}{10} (kcal \ m^{-2}) yr^{-1}$
- (4) $x (kcal m^{-2}) yr^{-1}$

143 Match List I with List II

A GLUT-4

List H

B. Insulin

-I. Hormone

C. Trypsin

II. Enzyme

III. Intercellular ground substance

D. Collagen

 Enables glucose transport into cells

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-I, C-II, D-III
- (4) A-I, B-II, C-III, D-IV

144 Match List I with List II

ds to

show

reath

the

ilse

rue

ue

Ise

d...

A. Frederick

List II Genetic code

Griffith

I. Genetic code

B. Francois Jacob & Jacque Monod II. Semi-conservative mode of DNA replication

C. Har Gobind Khorana

III. Transformation

D. Meselson & Stahl

IV. Lac operon

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-IV, B-I, C-II, D-III
- (3) A-III, B-II, C-I, D-IV
- (4) A-III, B-IV, C-I, D-II

T4_English |

- 145 The DNA present in chloroplast is:
 - (1) Linear, single stranded
 - (2) Circular, single stranded

Linear, double stranded

- (4) Circular, double stranded
- Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?
 - (I) Cytokinin

(2) Abscisic acid

- (3) Auxin
- (4) Gibberellin
- 147 Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,


- A. Asexual reproduction occurs usually by biflagellate zoospores.
- B. Sexual reproduction is by oogamous method only.
- Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) A, C, D and E only
- (2) A. B, C and E only
- (3) A, B, C and D only
- (4) B, C, D and E only

21

| Contd...



88) 10100 1905 ngiven IN are tion. 1 10

On.

ı,

Which of the following factors are favourable for 148 the formation of exyluemoglobin in alveoli? (1) Low pCO₂ and High H⁺ concentration (2) Low pCO2 and High temperature (3) High pO and High pCO. (4) High pO₃ and Lesser H* concentration Which of the following is not a natural/traditional contraceptive method? (1) Lactational amenorrhea (2) Vaulta (1) Coitus interruptus (4) Periodic abstinence Match List I with List II List I List II A. Pons Provides additional space for Neurons, regulates posture

and balance. B. Hypothalamus Controls respiration and gastric accretions. Medulla 111. Connects different regions of the brain. D. Cerebellum IV. Neuro secretory cells Choose the correct answer from the options given

below :

(L) A-I, B-III, C-II, D-IV 3(2) A-II, B-I, C-III, D-IV

- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-IV, C-II, D-I
- Given below are two statements :

Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

Statement II: The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Match List I with List II:

	CANADA A		WHATEN WW
Α.	Axoneme	1.	Centriole
13,	Cartwheel -	11.	Cilia and Ragella.
	pattern		
C.	Crista	111.	Chromosome

Mitochondria Satellite IV. Choose the correct answer from the options given

- (L) A-II, B-IV, C-I, D-III
- (2) A-II, B-I, C-IV, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-H, C-HI, D-I
- 160 Match List I with List II:

	List 1		List II
۸.	Typhoid	Ti-	Fungos
В.	Leishmaniasis	11.	Nematode
C.	Ringworm	III.	Protozoa
D.	Eilariasis	IV	Bacteria

Choose the correct answer from the options given below:


- A-III, B-I, C-IV, D-II
- (2) A-IL, B-IV, C-III, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-IV, B-III, C-I, D-II
- Given below are two statements: 161

Statement I: In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.


Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below;

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false



The following diagram showing restriction sites in E.coli cloning vector pBR322. Find the role of 'Y' and 'Y' genes :



- (1) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.
- (2) Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic resistance.
- (3) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.
- The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.
- The "Ti plasmid" of Agrobacterium tumefaciens 169 stands, for
 - (Y) Tumor inducing plasmid
 - Temperature independent plasmid (2)
 - Tumour inhibiting plasmid (3)
 - Tumor independent plasmid
- Match List I with List II:

List I

List II

- A. Pleurobrachia
- Mollusca
- B. Radula
- Ctenophora П.
- Stomochord
- Osteichthyes
- D. Air bladder
- IV. Hemichordata
- Choose the correct answer from the options given
- below: (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-I, C-IV, D-III

- Which of the following statements is incorrect?
 - (1) Bio-reactors are used to produce small scale bacterial cultures.
 - Bio-reactors have an agitator system, an oxygen delivery system and foam control system.
 - (3) A bio-reactor provides optimal growth conditions for achieving the desired product.
 - Most commonly used bio-reactors are of stirring type.
 - Which one is the correct product of DNA dependent RNA polymerase to the given template?
 - 3'TACATGGCAAATATCCATTCA5'
 - (1) 5'AUGUACCGUUUAUAGGGAAGU3'
 - (2) 5' ATGTACCGTTTATAGGTAAGT3'
 - (3) 5'AUGUACCGUUUAUAGGUAAGU3'
 - (4) 5'AUGUAAAGUUUAUAGGUAAGU3'
 - Match List I with List II:

List I

List II

- Cocaine
- I. Effective sedative in
 - surgery
- B. Heroin
- II. Cannabis sativa
- C. Morphine
- III. Erythroxylum
- D. Marijuana
- IV. Papaver somniferum

Choose the correct answer from the options given below:

- (I) A-II, B-I, C-III, D-IV
 - (2) A-III, B-IV, C-I, D-II
 - (3) A-IV, B-III, C-I, D-II
 - (4) A-I, B-III, C-II, D-IV

174 Minch List I with List II:

I Set I (Sub Phases of Prophase I)

List II (Specific characters)

A. Diakinesis

 Synaptonemal complex formation

B. Pachytene

Completion of terminalisation of chiasmata

C. Zygotene

III. Chromosomes look like thin

D. Leptotene

Appearance of recombination nodules

Choose the correct answer from the options given helps :

(1) A-II, B-IV, C-I, D-III

(2) A-IV. B-III. C-II. D-I

(3) A-IV, B-II, C-III, D-I

(4) A-I, B-II, C-IV, D-III

In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present

8th and 9th segment

11th segment

(3) 5th segment

(4) 10th segment

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

(1) A is correct but R is not correct.

(2) A is not correct but R is correct.

(3) Both A and R are correct and R is the correct explanation of A.

(4) Both A and R are correct but R is NOT the correct explanation of A.

177 Match List I with List II:

List I

List II Hag fish Mat

15

180

A. Pterophyllum

Saw fish 11.

B. Myxine

III. Angel fish

C. Pristis

Flying fish IV.

D. Exocoetus Choose the correct answer from the options given below:


(H) A-IV, B-I, C-II, D-III

(2) A-III, B-II, C-I, D-IV

(3) A-II, B-I, C-III, D-IV

(4) A-III, B-I, C-II, D-IV

Three types of muscles are given as a, b and c Identify the correct matching pair along with their 178 location in human body:



Name of muscle/location

(a) Skeletal - Biceps

(b) Involuntary - Intestine

(c) Smooth - Heart.

(2) (a) Involuntary - Nose tip

(b) Skeletal - Bone

(c) Cardiac - Heart.

(3) (a) Smooth - Toes

(b) Skeletal - Legs

(c) Cardiac - Heart.

(4) (a) Skeletal - Triceps

(b) Smooth - Stomach

(c) Cardiac - Heart.

Which of the following is not a steroid hormone?

(1) Progesterone

(2) Glucagon

Cortisol

Testosterone

T4 English |

annth List I with List II Lini I 182 List II Filtrous joints Adjacent vernebrae, limited movement Cartilinginous Humeros and PORTES Pectoral sirdle rounional thoyement. C. Hinge III Skult don't iomis allow any movement D. Ball and UD IV. Knee, help in socket joints locamotion Choose the correct answer from the options given below-(1) A-II, B-III, C-DD-IV (2) A-III, B-I, C-IV, D-II (3) A-IV, B-II, CiNI, D-I (4) A-L B-III, C-IT, D-IV Given below are two statements; one is labelled as Assertion A and the other is labelled as Reason R: Assertion A: FSH acts upon ovarian follicles in female and Levdig cells in male. Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

March Loc | with Loc II List II. List I Expiratory reserve Expiratory volume - Tidal capiacits - solume -Impuratory reserve volume Tulal volume + Functional Expiratory reserve residual Ø =matter capacity HOM Tidal volume -Vital especin Inspiratory reserve volume Expiratory reserve Inspiratory volume + Residual capacity wolume. Choose the correct diswer from the options given below (1) A-II, B-I, C-IV, 10-III (2) A-1, B-III, C-II, D-IV (3) A-II, B-IV, C-1, D-III (4) A-III, B-II, C-IV, D-I Following are the stages of cell division 183 Gap 2 phase B. Cytokinesis LD Synthesis phase C. Karyokinesis D.

Gap | phase A

Choose the correct sequence of stages from the options given below

(1) B-D-E-A-C

(2) E-C-A-D-B

GY C-E-D-A-B

(4) E-B-D-A-C

Which of the following are Autoimmune 184 disorders?

Myasthenia gravis

Rheumatoid authritis B.

0 Gout

Muscular dystrophy

Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below

(1) B. C& Eonly

(2) C. D& Eonly

43) A. B & D only

(4) A. B. Eonly

Which of the following is not a component of 185 Fallopian tube?

(1) Infundibulum

(2) Ampulla

(3) Uterine fundus "

(4) Isthmus


| Contd...

T4 English

Name of Street

and,

Des de la



192 Match List I with List II :

FORM HA

es ate

orps)

of the

& the

122211

Il in

11 15

CI.

List I List II

- A. Pwave I. Heart muscles are electrically silent.
- B. ORS complex II. Depolarisation of ventricles.
- C. Twave III. Depolarisation of atria.
- D. T-P gap IV. Repolarisation of ventricles.

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-IV, B-II, C-I, D-III
- (3) A-I, B-III, C-IV, D-II
- (4) A-III, B-II, C-IV, D-I

193 Given below are two statements :

Statement I: Mitochondria and chloroplasts are both double membrane bound organelles.

Statement II: Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the most appropriate answer from the options given below:

- Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.

Both Statement I and Statement II are correct.

(4) Both Statement I and Statement II are incorrect.

194 Minch Lint I with List II related to digestive system

Lint I

A. The structures used 1. Cazzard
for storing of food

B. Ring of 6-8 blind II. Gastric tubules at Junction of Cases foregut and midgut.

C. Ring of 100-150 yetlow III. Malpighian coloured thin tubules filaments at junction of midgut and hindget.

D. The structures used IV. Crop for grinding the food.

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-II, C-IV, D-I
- (3) A-IV. B-II, C-III, D-I
- (4) A-I, B-II, C-III, D-IV

Match List I with List II:

List II

A. RNA polymerase III I. snRNPs

B. Termination of

transcription II. Promotor

C. Splicing of Exons

III. Rho factor


D. TATA box

IV. SnRNAs, tRNA

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-I, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-IV, D-I

196 Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



(1) FSH, Sertoli cells, Leydig cells, spermatogenesis.

 ICSH, Leydig cells, Serioli cells, spermatogenesis.

(3) FSH, Leydig cells, Sertoli cells, spermiogenesis

(4) ICSH, Interstitial cells, Leydig cells, spermiogenesis.

- 197 Choose the correct statement given below regarding juxta medullary nephron.
 - (1) Loop of Henle of juxta medullary nephronruns deep into medulla.
 - (2) Juxta medullary nephrons outnumber the cortical nephrons.
 - (3) Juxta medullary nephrons are located in the columns of Bertini.
 - Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.

198 Given below are two statements:

Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II: According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

99 Given below are two statements:

Statement 1: Bone marrow is the main lymphoist organ where all blood cells including lymphocytes are produced.

Statement II: Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect.

200 Regarding catalytic cycle of an enzyme action, select the correct sequential steps:

- A. Substrate enzyme complex formation.
- B. Free enzyme ready to bind with another substrate.
- C. Release of products.
- D. Chemical bonds of the substrate broken. (3)
- E. Substrate binding to active site.

Choose the correct answer from the options given below:

- (1) B, A, C, D, E
- (2) E, D, C, B, A
- (3) E, A, D, C, B
 - (4) A, E, B, D, C